	Application No.	Applicant(s)
	10/046,728	LAMONT ET AL.
Notice of Allowability	Examiner	Art Unit
	BJ Forman	1634
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIG	OR REMAINS) CLOSED in this apport or other appropriate communication GHTS. This application is subject to	lication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>21 October 2004</u> .		
2. The allowed claim(s) is/are 1.3.4 and 6-14.		
3. \boxtimes The drawings filed on <u>17 January 2004</u> are accepted by the	Examiner.	
 4. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMITHIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 	been received. been received in Application No uments have been received in this r of this communication to file a reply of	national stage application from the
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	ited. Note the attached EXAMINER's reason(s) why the oath or declarat	S AMENDMENT or NOTICE OF ion is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must		
(a) including changes required by the Notice of Draftsperso	on's Patent Drawing Review (PTO-9	948) attached
1) hereto or 2) to Paper No./Mail Date	Amazan dan ant / O the O	
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment or in the O	TICE action of
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the	34(c)) should be written on the drawin e header according to 37 CFR 1.121(d	gs in the front (not the back) of).
 DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT F 	it of BIOLOGICAL MATERIAL m FOR THE DEPOSIT OF BIOLOGICA	oust be submitted. Note the NL MATERIAL.
		·
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary (Paper No./Mail Date	
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	B), 7. ⊠ Examiner's Amendm	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. ⊠ Examiner's Statemen 9. □ Other	nt of Reasons for Allowance
	BJ FORM PRIMARY E	AN RH.D. EXAMINER

Application/Control Number: 10/046,728 Page 2

Art Unit: 1634

NOTICE OF ALLOWABILITY

1. This action is in response to papers filed 21 October 2004 in which claims 1, 3, 6 and 14 were amended. The amendments have been thoroughly reviewed and entered. This action is further in response to an interview between Mr. Caramanica and the examiner when amendments were agreed upon to overcome 112, second paragraph issues.

The previous rejections in the Office Action dated 21 June 2004 are withdrawn in view of the amendments. The amendments place the claims in condition for allowance.

Claims 1, 3-4, 6-4 are in condition for allowance.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Philip Caramanica, Jr. on 28 December 2004.

Change the title to: ARRAY IMAGING METHOD

In claim 1, step (ii), line 1, after "locating a" insert --- reference ---.

In claim 1, step (iii), line 1, before "location" delete "the".

In claim 1, step (iv), line 2, before "location" delete "the".

In claim 3, line 1, replace "first" with --- reference ----.

Application/Control Number: 10/046,728 Page 3

Art Unit: 1634

In claim 4, line 2, replace "detecting the first molecule, the first" with --- locating the reference signal, the reference ---.

In claim 4, line 3, replace "detecting" with --- locating ---.

In claim 4, line 4, replace "first molecule" with --- reference signal --- .

In claim 14, line 2, replace "detected in step (i)" with --- located in step (ii) ---.

REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance: The claims are drawn to a method for imaging an array of reaction sites. The method steps include locating a reference signal from a molecule at a known position and within a reference search window and aligning a reference inspection window based on the signal location. Subsequently and separately individual inspection windows are aligned for each reaction site. The method steps provide individual inspection windows for each reaction site as illustrated in Figure 6. While the prior art e.g. Fiekowsky et al. (U.S. Patent No. 6,090,555) teaches array imaging and alignment, the prior art does not teach or suggest repeated subsequent alignment for each array site.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

- 5. Claims 1, 3-4, 6-4 are allowed.
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to BJ Forman whose telephone number is (571) 272-0741. The examiner can normally be reached on 6:00 TO 3:30.

Art Unit: 1634

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Jones can be reached on (571) 272-0745. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

BJ Forman, Ph.D. Primary Examiner Art Unit: 1634 December 29, 2004